

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2024

Version number 3 (replaces version 2)

Revision: 31.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** PHOSTOXIN PELLETT
- **Authorisation No.:** 052569-60
- **UFI:** DHM7-0J6F-E10N-AT6Q
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Plant protection product
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Detia Freyberg GmbH
Dr. Werner-Freyberg-Str. 11
D-69514 LAUDENBACH
GERMANY
- **Further information obtainable from:**
Detia Freyberg GmbH - Regulatory Affairs
telephone: +49-6201-708-0
e-mail: sicherheitsdatenblaetter@dd-group.com
- **1.4 Emergency telephone number:**
General emergency number: 112
Medical emergency information in the event of poisoning: Poison Information Center Mainz - Tel. :
+49 (0) 613119240 (24/7 advice in German and English)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Water-react. 1 H260 In contact with water releases flammable gases which may ignite spontaneously.



GHS06 skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.
Acute Tox. 2 H310 Fatal in contact with skin.
Acute Tox. 2 H330 Fatal if inhaled.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

(Contd. on page 2)

DE

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2024

Version number 3 (replaces version 2)

Revision: 31.10.2024

Trade name: PHOSTOXIN PELLET

(Contd. of page 1)



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms

GHS02



GHS06



GHS09

Signal word Danger**Hazard-determining components of labelling:**aluminium phosphide
ammonium carbamate**Hazard statements**

H260 In contact with water releases flammable gases which may ignite spontaneously.
H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P223 Do not allow contact with water.
P232 Protect from moisture.
P234 Keep only in original packaging.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.
P370+P378 In case of fire: Use CO₂, sand, extinguishing powder to extinguish.
P391 Collect spillage.
P402+P404 Store in a dry place. Store in a closed container.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

EUH029 Contact with water liberates toxic gas.
EUH032 Contact with acids liberates very toxic gas.
EUH070 Toxic by eye contact.

(Contd. on page 3)

DE

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2024

Version number 3 (replaces version 2)

Revision: 31.10.2024

Trade name: PHOSTOXIN PELLETT

(Contd. of page 2)

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:** Aluminum phosphide meets the T criterion, but not the P or B criterion.**vPvB:**

This mixture does not contain any substances that are considered to be very persistent or very bioaccumulative (vPvB).

Determination of endocrine-disrupting properties

The product does not contain any endocrine disrupting substances.

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 20859-73-8 EINECS: 244-088-0	aluminium phosphide ⚠ Water-react. 1, H260; ⚠ Acute Tox. 2, H300; Acute Tox. 3, H311; Acute Tox. 1, H330; ⚠ Aquatic Acute 1, H400 (M=100), EUH029, EUH032	56,0%
CAS: 1111-78-0 EINECS: 214-185-2	ammonium carbamate ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	21,0%

Additional information: For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:**

Avoid any unnecessary contact with the product.

Call a doctor immediately in the event of an accident or if you feel unwell.

Tell the doctor the cause of hydrogen phosphide and, if possible, show the safety data sheet or label.

Do not leave affected persons unattended and take them to fresh air or out of the danger zone.

Immediately knock out any clothing soiled by the product in a well-ventilated place and then remove it.

Remove breathing equipment only after contaminated clothing have been completely removed.

Allow contaminated clothing to ventilate well before washing and do not store in closed rooms without ventilation!

After inhalation:

Immediate removal from the danger area!

A supply of fresh air or oxygen must be provided.

Seek immediate medical advice.

Provide artificial respiration if breathing is irregular or has stopped breathing.

After skin contact:

Brush off loose particles from the skin. Wash skin with plenty of soap and water. If skin irritation or rash occurs: Get medical advice / attention.

(Contd. on page 4)

DE

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2024

Version number 3 (replaces version 2)

Revision: 31.10.2024

Trade name: PHOSTOXIN PELLET

(Contd. of page 3)

· After eye contact:

Rinse eyes under running water for several minutes with the eyelid wide open. Remove any contact lenses that may be present and continue rinsing.

Consult a doctor for control and if eye irritation persists.

· After swallowing:

Do not induce vomiting; call for medical help immediately.

Bring vomit that has already been vomited by the affected person outside.

· 4.2 Most important symptoms and effects, both acute and delayed

Breathing difficulty

Headache

Dizziness

Gastric or intestinal disorders

Nausea

· 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment. Symptoms may be delayed after exposure (up to 48 hours later). Avoid acidosis and prevent pulmonary edema.

No antidote available.

Inhalative treatment on glucocorticoid basis to prevent pulmonary edema.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media**· Suitable extinguishing agents:**

Use fire extinguishing methods suitable to surrounding conditions.

Carbon dioxide

Dry sand

Fire-extinguishing powder

Use a fire blanket for smaller fires.

· For safety reasons unsuitable extinguishing agents:

Water

Foam

· 5.2 Special hazards arising from the substance or mixture

In contact with water, highly flammable and very toxic gases are released.

· 5.3 Advice for firefighters

Do not inhale explosion and fire gases. Co-ordinate fire-fighting measures to the surroundings. Fight fire with normal precautions from a reasonable distance.

· Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Observe the information on exposure limitation and put on personal protective equipment (Section 8).

Ensure adequate ventilation.

Have measuring devices and first aid kit ready.

(Contd. on page 5)

DE

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2024

Version number 3 (replaces version 2)

Revision: 31.10.2024

Trade name: PHOSTOXIN PELLET

(Contd. of page 4)

Keep unprotected persons not working in the area away from the danger area. The danger area is to be made clear by warning signs.
Keep away from ignition sources.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Please observe the regulations of GefStoffV and TRGS 500!
Use of the product only by knowledgeable and trained persons.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Avoid any contact of the product with water!
Do not breathe the product dust.

Advice on general hygiene in the workplace:

Take off contaminated clothing immediately. Wash hands after use. Do not eat, drink or smoke in work areas. Remove contaminated clothing and protective equipment before entering any eating area. Do not store food and drinks with chemicals. Do not use containers for chemicals that are normally intended for holding food. Keep away from food, drink and animal feed. Do not breathe gas / vapor / aerosol. Avoid contact with eyes and skin.

· Information about fire - and explosion protection:

Avoid dust formation.
If the product is handled openly, devices with local exhaust ventilation must be used.
Protect against electrostatic charges.
Keep away from sources of ignition. Do not smoke!

· 7.2 Conditions for safe storage, including any incompatibilities**· Storage:****· Requirements to be met by storerooms and receptacles:**

Keep container tightly closed and store in a cool, well-ventilated place.
Keep inaccessible to non-operational and non-specialist persons.

· Information about storage in one common storage facility:

Please observe the regulations of TRGS 510!
Do not store together with acids, water, oxidizing substances and self-igniting substances.
Do not store food and drinks with chemicals. Do not use containers for chemicals that are normally intended for holding food. Keep away from food, drink and animal feed.

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2024

Version number 3 (replaces version 2)

Revision: 31.10.2024

Trade name: PHOSTOXIN PELLET

(Contd. of page 5)

- **Further information about storage conditions:** None.
- **Storage class:**
4.3 (hazardous substances that form flammable gases in contact with water)
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

CAS: 14807-96-6 Talc ($\text{Mg}_3\text{H}_2(\text{SiO}_3)_4$) (2,8%)

MAK (Germany) asbestfaserfrei, alveolengängige Fraktion

· **Regulatory information**

· **Additional Occupational Exposure Limit Values for possible hazards during processing:**

CAS: 7803-51-2 phosphineAGW (Germany) Long-term value: 0,14 mg/m³, 0,1 ppm
2(II);EU, DFG, Y

· **Additional information:**

The lists valid during the making were used as basis.

Electronic measuring devices are recommended for monitoring the concentration of hydrogen phosphide in the workplace.

· 8.2 Exposure controls

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Technical and organizational protective measures are to be used with preference (personal protective equipment must not be a permanent measure).

Wash hands before breaks and at the end of work.

Immediately knock out any clothing soiled by the product in a well-ventilated place and then remove it. Only remove respiratory protection after removing contaminated clothing.

Store protective equipment separately, check it regularly, clean it and replace it if necessary. Before washing, let contaminated clothing ventilate well and do not store in closed rooms without ventilation!

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

For the use of a respiratory filter device: filter color gray (type B, inorganic gases and vapors), in dusty environments a combination filter is recommended (filter color white, filter type P).

(Contd. on page 7)

DE

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2024

Version number 3 (replaces version 2)

Revision: 31.10.2024

Trade name: PHOSTOXIN PELLET

(Contd. of page 6)

· Hand protection



Protective gloves according to EN ISO 374-1 at least type B

The selection of a suitable glove does not only depend on the material, but also on other quality features and varies from manufacturer to manufacturer. Please contact your occupational safety advisor together with this safety data sheet.

Observance of the skin protection and hand hygiene plans of the professional association for health service and welfare for pest control.

· Eye/face protection



In the event of contact with the product: Wear tightly fitting protective goggles / full protective mask.

· Body protection:

For preparatory and follow-up work: long-sleeved work clothes and safety shoes

If the gas concentration is unknown or increased: Suitable chemical protective suit

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state

Solid

· Colour:

Grey

· Odour:

Garlic-like

· Odour threshold:

Not applicable as substance is toxic to inhalation.

· Melting point/freezing point:

Undetermined.

· Boiling point or initial boiling point and boiling range

Undetermined.

· Flammability

Contact with water liberates extremely flammable gases.

· Lower and upper explosion limit

· Lower:

Not determined.

· Upper:

Not determined.

· Flash point:

Not applicable.

· Decomposition temperature:

Not determined.

· pH

Not applicable.

· Viscosity:

· Kinematic viscosity

Not applicable.

· Dynamic:

Not applicable.

· Solubility

· water:

Not applicable (reaction with water leads to decomposition).

· Partition coefficient n-octanol/water (log value)

Not applicable (reaction with water leads to decomposition).

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2024

Version number 3 (replaces version 2)

Revision: 31.10.2024

Trade name: PHOSTOXIN PELLET

(Contd. of page 7)

· Vapour pressure:	Not applicable.
· Density and/or relative density	
· Density:	1,791-1,857 g/cm ³
· Relative density	1,87864-2,01470
· Vapour density	Not applicable.
· Particle characteristics	See section 3.
· 9.2 Other information	
· Appearance:	
· Form:	Solid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Solids content:	100,0 %
· Change in condition	
· Evaporation rate	Not applicable.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	In contact with water releases flammable gases which may ignite spontaneously.
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** Reactive with water and acids.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** Release of ammonia and carbon dioxide
- **10.3 Possibility of hazardous reactions**
- Contact with water releases flammable gases.
- Contact with water releases toxic gases.

(Contd. on page 9)

DE

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2024

Version number 3 (replaces version 2)

Revision: 31.10.2024

Trade name: PHOSTOXIN PELLET

(Contd. of page 8)

10.4 Conditions to avoid

Protect from moisture.
Avoid high temperatures.
Protect from contact with acids.

10.5 Incompatible materials:

Protect from moisture.
Protect from contact with acids.

10.6 Hazardous decomposition products:

Ammonia
Hydrogen phosphide
Contact with water releases flammable gases.
Contact with water releases toxic gases.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· **Acute toxicity** Fatal if swallowed, in contact with skin or if inhaled.

LD/LC50 values:**ATE (Acute Toxicity Estimates)**

Oral	LD50	>15,5 mg/kg (Rat (Rattus spec.))
Dermal	LD50	821–1.607 mg/kg (Rat (Rattus spec.))
Inhalative	LC50/4 h	0,0857 mg/l (Rat (Rattus spec.))

CAS: 20859-73-8 aluminium phosphide

Oral	LD50	8,7 mg/kg (Rat (Rattus spec.))
Dermal	LD50	460–900 mg/kg (Rat (Rattus spec.))
Inhalative	LC50/4 h	0,048 mg/l (Rat (Rattus spec.)) (phosphine generated from aluminium phosphide)
	LC50/4 h	0,015 mg/l (Rat (Rattus spec.)) 11 ppm phosphine (equivalent to 0.015 mg phosphine/L air or 2.8 mg/kg bw))

CAS: 1111-78-0 ammonium carbamate

Oral	LD50	>681 mg/kg (Rat (Rattus spec.))
Dermal	LD50	>2.000 mg/kg (Rat (Rattus spec.))
Inhalative	LC50/4 h	6,6 mg/l (Rat (Rattus spec.))

Primary irritant effect:

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 10)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2024

Version number 3 (replaces version 2)

Revision: 31.10.2024

Trade name: PHOSTOXIN PELLET

(Contd. of page 9)

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information**· 12.1 Toxicity****· Aquatic toxicity:****CAS: 20859-73-8 aluminium phosphide**

ErC50/ 48h	1,44 mg/l (algae)
LC50/ 96h	0,00798 mg/l (Rainbow trout (<i>Oncorhynchus mykiss</i>))
EC50/ 24h	0,00018 mg/l (<i>Daphnia magna</i>)

- **12.2 Persistence and degradability** Decomposes in contact with water.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **Bioconcentration factor (BCF)**
Phosphine (calculated on the basis of log POW = 0.9):
BCF fish = 1.16 L / kg
BCF earthworm = 0.94 L / kg
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Aluminum phosphide meets the T criterion, but not the P or B criterion.
- **vPvB:**
This mixture does not contain any substances that are considered to be very persistent or very bioaccumulative (vPvB).
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**
Very toxic for aquatic organisms
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations**· 13.1 Waste treatment methods****· Recommendation**

Waste from fumigant residues must be disposed of in accordance with the legal waste regulations / provisions, in particular in compliance with the ordinance on the determination of waste (AbfBestV), the recycling and waste laws (KrW- / AbfG) and the waste directory ordinance (AVV).

(Contd. on page 11)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2024

Version number 3 (replaces version 2)

Revision: 31.10.2024

Trade name: PHOSTOXIN PELLET

(Contd. of page 10)

TRGS 512 Chapter 9: Disposal of fumigant residues

The product, not outgassed product residues and uncleaned packaging are to be disposed of as hazardous waste subject to verification.

Proper disposal according to Directive 2008/98/EC on waste and hazardous waste.

· **European waste catalogue**

The disposal of the contents / container is to be carried out in consultation with the regional disposal company in accordance with official regulations according to the waste code number in accordance with the European waste catalog. Waste codes are not related to the product but to the application.

Product/ungassed product residues:

061301* - inorganic pesticides, wood preservatives and other biocides.

020108* - waste agricultural chemicals containing dangerous substances

160507* - used inorganic chemicals consisting of or containing dangerous substances

Outgassed inactivated product residues according to TRGS 512, section 9, sentence 5:

060316 - metal oxides with the exception of those falling under 060315

HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP6	Acute Toxicity
HP12	Release of an acute toxic gas
HP14	Ecotoxic

· **Uncleaned packaging:**

150110* Packaging containing residues of or contaminated by dangerous substances

· **Recommendation:**

cleaned empty packaging:

Disposal is to be carried out in consultation with the regional disposal company in accordance with the official regulations pursuant to the AVV Ordinance.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA**

UN1397

· **14.2 UN proper shipping name**

· **ADR**

UN1397 ALUMINIUM PHOSPHIDE,
ENVIRONMENTALLY HAZARDOUS
ALUMINIUM PHOSPHIDE, MARINE POLLUTANT
ALUMINIUM PHOSPHIDE

· **IMDG**

· **IATA**

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class**

4.3 Substances which, in contact with water, emit flammable gases.

(Contd. on page 12)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2024

Version number 3 (replaces version 2)

Revision: 31.10.2024

Trade name: PHOSTOXIN PELLET

(Contd. of page 11)

· Label	4.3+6.1
· IMDG	
	
· Class	4.3 Substances which, in contact with water, emit flammable gases.
· Label	4.3/6.1
· IATA	
	
· Class	4.3 Substances which, in contact with water, emit flammable gases.
· Label	4.3 (6.1)
· 14.4 Packing group	
· ADR, IMDG, IATA	I
· 14.5 Environmental hazards:	
· Marine pollutant:	Yes Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Substances which, in contact with water, emit flammable gases.
· Hazard identification number (Kemler code):	-
· EMS Number:	F-G,S-N
· Stowage Code	SW2 Clear of living quarters. SW5 If under deck, stow in a mechanically ventilated space.
· Handling Code	H1 Keep as dry as reasonably practicable
· Segregation Code	SG26 In addition: from goods of classes 2.1 and 3 when stowed on deck of a containership a minimum distance of two container spaces athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall be maintained. SG35 Stow "separated from" SGG1-acids
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	0
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· Transport category	1

(Contd. on page 13)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2024

Version number 3 (replaces version 2)

Revision: 31.10.2024

Trade name: PHOSTOXIN PELLET

(Contd. of page 12)

· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	0
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1397 ALUMINIUM PHOSPHIDE, 4.3 (6.1), I, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
 REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category**
 H2 ACUTE TOXIC
 O3 Substances or mixtures with hazard statement EUH029
 E1 Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 40
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
 None of the ingredients is listed.
- **REGULATION (EU) 2019/1148**
- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**
 None of the ingredients is listed.
- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**
 None of the ingredients is listed.
- **Regulation (EC) No 273/2004 on drug precursors**
 None of the ingredients is listed.
- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**
 None of the ingredients is listed.

(Contd. on page 14)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2024

Version number 3 (replaces version 2)

Revision: 31.10.2024

Trade name: PHOSTOXIN PELLET

(Contd. of page 13)

- **National regulations:**
- **Information about limitation of use:**
Employment restrictions concerning juveniles must be observed.
- **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Relevant phrases**

H260 In contact with water releases flammable gases which may ignite spontaneously.
H300 Fatal if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H318 Causes serious eye damage.
H330 Fatal if inhaled.
H400 Very toxic to aquatic life.
EUH029 Contact with water liberates toxic gas.
EUH032 Contact with acids liberates very toxic gas.

- **Classification according to Regulation (EC) No 1272/2008**

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Substances and mixtures which in contact with water emit flammable gases	On basis of test data
Acute toxicity - oral Acute toxicity - dermal Acute toxicity - inhalation Serious eye damage/irritation Hazardous to the aquatic environment - short-term (acute) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

- **Department issuing SDS:** Regulatory Affairs
- **Contact:** sicherheitsdatenblaetter@dd-group.com
- **Date of previous version:** 16.05.2024
- **Version number of previous version:** 2
- **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Water-react. 1: Substances and mixtures which in contact with water emit flammable gases – Category 1

(Contd. on page 15)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2024

Version number 3 (replaces version 2)

Revision: 31.10.2024

Trade name: PHOSTOXIN PELLET

(Contd. of page 14)

Acute Tox. 2: Acute toxicity – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 1: Acute toxicity – Category 1
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

· *** Data compared to the previous version altered.**

DE